Application/Control Number: 10/647,611

Art Unit: 2626

AMENDMENT

Docket No.: 030093

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method of improving alphabetic speech recognition by a speech recognition engine, comprising:

receiving an initial input comprising either a first spoken alphabetic character input comprising plural spoken alphabetic characters from a user or a first keypad entry of plural alphabetic characters using a dual-tone multi-frequency (DTMF) key tone for each of the characters;

if the initial input comprises the spoken character input, passing the first spoken alphabetic character input received from the user through a speech recognition engine;

at the speech recognition engine, recognizing the first spoken alphabetic character input received from the user;

querying the user for verification that the recognized alphabetic character input is the same as the first spoken alphabetic character input received from the user;

if the recognized alphabetic character input is not the same as the first spoken alphabetic character input received from the user, receiving from the user a DTMF key tone for each of the first spoken alphabetic characters received from the user;

if one alphabetic character string associated with the DTMF key tones received from the user matches the first spoken alphabetic character input received from the user, designating the one alphabetic character string associated with the DTMF key tones received from the user that matches the first spoken alphabetic character input received from the user as a correct alphabetic character input;

Application/Control Number: 10/647,611 Docket No.: 030093

Art Unit: 2626

prior to designating the alphabetic character string associated with the DTMF key tones

received from the user as a correct alphabetic character input requested from the user,

determining whether an alphabetic character string associated with the DTMF tones received

from the user sounds like the first spoken alphabetic character input received from the user;

querying the user to determine whether the alphabetic character string associated with the

DTMF key tones received from the user match the first spoken alphabetic character input

received from the user;

if more than one alphabetic character string is determined to be associated with the

DTMF key tones received from the user that sound like the first spoken alphabetic character

input received from the user, receiving a second spoken input of the alphabetic character input

from the user;

comparing the second spoken alphabetic character input received from the user to each of

the more than one alphabetic character strings determined to be associated with the DTMF key

tones received from the user that sound like the first spoken alphabetic character input received

from the user;

if the second spoken alphabetic character input received from the user matches one of the

more than one alphabetic character strings determined to be associated with the DTMF key tones

received from the user, designating the alphabetic character string associated with the DTMF key

tones that matches the second spoken alphabetic character input received from the user as a

correct alphabetic character;

if the initial input received from the user comprises keypad entry, playing back the

keypad entry to the user and querying the user to determine whether the entered keypad character

input is correct;

3

Application/Control Number: 10/647,611 Docket No.: 030093

Art Unit: 2626

if input received from the user indicates that the keypad entry played back to the user matches does not match the entered keypad character input[[;]]:

determining loading a speech recognition grammar associated with possible alphabetic character combinations and phonetic alphabetic character combinations that correspond to the DTMF character input by the user;

prompting the user to speak the previously-entered alphabetic characters or to speak a phonetic version of the previously-entered alphabetic characters;

comparing the spoken previously entered alphabetic characters or the spoken phonetic versions of the previously-entered alphabetic characters to identify the determined alphabetic and phonetic character combinations that correspond to the DTMF characters input by the user; and receiving and recognizing user speech with the loaded speech recognition

grammar; and

prompting the user to verify [[the]] \underline{an} identified character string as [[the]] \underline{a} correct character string.

2. (Cancelled)

3. (Currently Amended) The method of Claim [[2]] 1, wherein the set of alphabetic characters includes the characters a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y,

and z.

4. (Previously Presented) The method of Claim 3, wherein the alphabetic character input received from the user includes one or more alphabetic characters from the set of alphabetic

4

characters of Claim 3.

Application/Control Number: 10/647,611

Art Unit: 2626

5. (Previously Presented) The method of Claim 4, wherein the set of alphabetic characters

Docket No.: 030093

further includes phonetic versions of the alphabetic characters of Claim 4.

6. (Previously Presented) The method of Claim 5, wherein the alphabetic character input

received from the user includes plural alphabetic characters from the set of alphabetic characters

of Claim 5.

7. (Previously Presented) The method of Claim 6, wherein the alphabetic character input

received from the user includes one or more combinations of alphabetic characters from the set

of alphabetic characters of Claim 6.

8. (Previously Presented) The method of Claim 2, wherein the set of alphabetic characters

includes numerals associated with dual tone multi-frequency (DTMF) key tones from a

telephone keypad.

9. (Previously Presented) The method of Claim 8, wherein the alphabetic character input

received from the user includes one or more DTMF key tones.

10. (Previously Presented) The method of Claim 9, wherein numerals associated with DTMF

key tones of a telephone keypad include 1, 2, 3, 4, 5, 6, 7, 8, 9.

11. (Previously Presented) The method of Claim 10, wherein the set of alphabetic characters

includes all alphabetic characters associated with the DTMF key tones.

12. -23. (Cancelled)